

PowerNox™ 2246 Phenolic Antioxidant

Introduction PowerNox[™] 2246 is one of the most widely used antioxidants for white,

light colored and transparent vulcanates that are based on natural or synthetic rubbers. It can be used with any light-colored or colored product.

Chemical Name 2, 2'-methylenebis(4-methyl-6-tertbutyl phenol)

CAS Number 119-47-1

EINECS Number 204-327-1

Chemical Structure

$$(CH_3)_3C$$
 CH_2
 $C(CH_3)_3$
 CH_3

Chemical Formula C₂₃H₃₂O₂

Molecular Weight 341

Physical Properties

Appearance	Pale cream to white powder
Melting Point [°C]	128-132
Volatile loss (%)	Max.0.3
Ash (%)	Max.0.25
Purity (%)	Min.95

Solubility

Solubility [20°C]	% w/w
Acetone	175
Chloroform	65
Ethanol	154
Ethyl acetate	134



PowerNox™ 2246 Phenolic Antioxidant

n-Hexane	8
Methanol	1.7
Toluene	62
Water	<0.01

Benefits & Applications

PowerNox[™] 2246 is added directly into the rubber product of choice to prevent polyphase deformation due to hot oxygen and UVA exposure. It can also be used to passivate metal salts. In the plastic industry, antioxidant 2246 can prevent thermal and light aging in materials such as chlorinated polyether, high impact polystyrene, ABS resin, polyformaldehyde, and cellulose resin. Used as a reducing agent, nylon whitener, and synthetic fiber in plastic industry; as materials for producing weedicide, bactericide and water stabilizer in pesticide industry.

Handling & Storage

In accordance with good industrial practice, handle with care and avoid unnecessary personal contact. Avoid continuous or repetitive breathing of dust. Use only with adequate ventilation. Protect skin. Avoid dust formation and ignition sources.

This product may be stored up to one year in a sealed container. Containers should be stored in a cool, dry area. Extended storage at elevated temperatures or exposure to direct heat or sunlight could reduce product life. Keep containers sealed when not in use.

For more detailed information please refer to the material safety data sheet.

Packing

PowerNox[™] 2246 is supplied in 20kg cartons or paper bag.

Note

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability.



PowerNox™ 2246 Phenolic Antioxidant

We disclaim liability for any incidental or consequential damages.