

## PowerStab<sup>™</sup> 111 Light Stabilizer

## Introduction

PowerStab<sup>™</sup> 111 is a synergistic mixture. It is an excellent UV stabilizer with outstanding extraction resistance, low as fading and low pigment interaction.


**Chemical Name** 

A bend of methylated high molecular weight light stabilizer (HALS 119) and oligomeric HALS 622

**CAS Number** 

106990-43-6, 65447-77-0

**Chemical Structure** 



**Molecular Weight** 

2286, 3100-4000



## PowerStab<sup>™</sup> 111 Light Stabilizer

Physical Properties	Appearance	White to light yellowish pastilles
	Density [20°C, g/cm <sup>3</sup> ]	1.05
	Melting range (°C)	115-150
	Flash Point (ASTM D 92-78, °C):	Min.275.0
Benefits & Applications	PowerStab <sup>™</sup> 111 is particularly well suited for PP fibers and applications with moderate chemical exposure.	
	PowerStab <sup>™</sup> 111 can be used in some agricultural applications.	
		ion include polyolefins (PP, PE), olefin ell as blends of polypropylene with
Handling & Storage	In accordance with good industrial practice, handle with care and avoid unnecessary personal contact. Avoid continuous or repetitive breathing o dust. Use only with adequate ventilation. Protect skin. Avoid dust formation and ignition sources. This product may be stored up to one year in a sealed container. Containers should be stored in a cool, dry area. Extended storage at elevated temperatures or exposure to direct heat or sunlight could reduce produc life. Keep containers sealed when not in use.	
	For more detailed information please	e refer to the material safety data sheet.
Packing	PowerStab™ 111 is supplied in 20Kg Paper Bag, 20Kg PE Bag, 25Kg Carton Box, 50Kg Fiber Drum.	
Note	All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.	
	We specifically disclaim any other e a particular purpose or merchantabi	xpress or implied warranty of fitness for lity.



## PowerStab<sup>™</sup> 111 Light Stabilizer

We disclaim liability for any incidental or consequential damages.